


performance
LINE **PRO-
DUCT
CATA-
LOG**

TRI[®] Performance Line

Implant System



Narrow, Bone- and Tissue-Level

The TRI[®] Performance Line is incorporated in the Bone-Level (TRI[®]-Narrow, TRI[®]-Vent) and Tissue-Level (TRI[®]-Octa) implant lines and ensures optimal esthetic results both in the anterior and posterior area.

Lean & intelligent implant concept.

The TRI[®] Performance Line combines the pure simplicity of one connection with the esthetic flexibility of the TRI[®] Soft Tissue Concept. A unique lean, and yet intelligent blend for success in daily practice.



Surgical Kit

The TRI[®] Performance Line is characterized by one unique surgical kit for bone- and tissue-level line. Its intuitive and elegant design prioritizes efficiency and ease of use.

TRI[®]-Vent Implants - Includes Surgical Cover Screw TVSCS

								
Implant Ø	Platform	Connection	6.5mmL	8mmL	10mmL	11.5mmL	13mmL	16mmL
3.75 mm	3.5 mmD	 2.5 mmD Internal Hexagon		TV37M08	TV37M10	TV37M11	TV37M13	TV37M16
4.1 mm			TV41M06	TV41M08	TV41M10	TV41M11	TV41M13	TV41M16
4.7 mm			TV47M06	TV47M08	TV47M10	TV47M11	TV47M13	TV47M16

TRI[®]-Narrow Implants - Includes Surgical Cover Screw TNSCS

								
Implant Ø	Platform	Connection			10mmL	11mmL	13mmL	16mmL
3.3 mm	3.0 mmD	 2.1 mmD Internal Hexagon			TN33M10	TN33M11	TN33M13	TN33M16

TRI[®]-Octa Implants - Includes Surgical Cover Screw TOSCS

							
Implant Ø	Platform	Connection	6.5mmL	8mmL	10mmL	11.5mmL	13mmL
3.75 mm	4.8 mmD 1.8mm Shoulder	 3.1 mmD Internal Octagon		TO37M08	TO37M10	TO37M11	TO37M13
4.1 mm			TO41M06	TO41M08	TO41M10	TO41M11	TO41M13
4.7 mm			TO47M06	TO47M08	TO47M10	TO47M11	TO47M13

TRI®-Vent Prosthetics

3.5 mmD Implant Platform

HEALING COLLARS

Tissue healing - Healing Collars, sterile

 TVHC35-30	 TVHC50-60	Product Code		Ø	GH	Material	Qty
		TVHC35-30	Healing Collar	3.5 mm	3.0 mm	Ti-6AL-4V	1
		TVHC35-45	Healing Collar	3.5 mm	4.5 mm	Ti-6AL-4V	1
		TVHC35-60	Healing Collar	3.5 mm	6.0 mm	Ti-6AL-4V	1
		TVHC50-30	Healing Collar	5.0 mm	3.0 mm	Ti-6AL-4V	1
		TVHC50-45	Healing Collar	5.0 mm	4.5 mm	Ti-6AL-4V	1
		TVHC50-60	Healing Collar	5.0 mm	6.0 mm	Ti-6AL-4V	1

Surgical cover screws - sterile



Product Code		Ø	GH	Material	Qty
TVSCS	Surgical Cover Screw	3.5 mm		Ti-6Al-4V	1

IMPRESSION TRANSFER COMPONENTS, IMPLANT ANALOGS

Direct transfer for open-tray impressions TRI® 3D-Touch Impression - includes screw DTRS-TV05




Product Code		Ø	GH	Material	Qty
TV05-35	Direct Transfer Component	3.5 mm		Ti-6Al-4V	1
TV05-50	Direct Transfer Component	5.0 mm		Ti-6Al-4V	1
DTRS-TV05	Direct Transfer Retaining Screw			Ti-6Al-4V	1

Indirect transfer/straight abutment for closed-tray impressions

TRI® 2in1 Impression Abutments - includes screws RS-TV10 and RS-TV10-ITC




Product Code		Ø	GH	Material	Qty
TV10-35-ITC	Indirect Transfer Component	3.5 mm		Ti-6Al-4V	1
TV10-50-ITC	Indirect Transfer Component	5.0 mm		Ti-6Al-4V	1
RS-TV10-ITC	Indirect Transfer Component Impression Screw			POM	5
RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1

GH = Gingiva Height

Implant Analog



Product Code		Material	Qty
TVA-1	Digital Implant Analog	Steel	1
TVA-5	Digital Implant Analog (5 Pack)	Steel	5

COMPONENTS FOR CEMENT-RETAINED RESTORATIONS

Plastic Temporary Abutments - includes screw RS-TV10/RS-TV20

 TV10-PTA  TV10-EHA-70  TV10-EHA-50	Product Code		Ø	Material	Qty
	TV10-PTA	Temporary Abutment, Straight	4.5 mm	PEEK	1
	RS-TV20	Replacement Retaining Screw		Ti-6Al-4V	1
	RS-TV20-Lab	Replacement Retaining Screw - Lab Use - Red		Ti-6Al-4V	1
	TV10-EHA-50*	Esthetic Healing Abutment	5.0 mm	PEEK	1
	TV10-EHA-70*	Esthetic Healing Abutment	7.0 mm	PEEK	1
	RS-TV10	Replacement Retaining Screw		Ti-6Al-4V	1
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green		Ti-6Al-4V	1	

Straight Abutments with TRI®-Friction - includes screw RS-TV10

 TV10-35-F	 TV10-50-F	Product Code	Ø	GH	Material	Qty	
		TV10-35-F	Straight Abutment with TRI®-Friction	3.5 mm		Ti-6Al-4V	1
	TV10-50-F	Straight Abutment with TRI®-Friction	5.0 mm		Ti-6Al-4V	1	
	 TV10-41-F	TV10-41-F	Contour Abutment, Straight with TRI®-Friction	4.5 mm	1.0 mm	Ti-6Al-4V	1
		TV10-43-F	Contour Abutment, Straight with TRI®-Friction	4.5 mm	3.0 mm	Ti-6Al-4V	1
		RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1
RS-TV10-Lab		Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	

Angled Abutments with TRI®-Friction - includes screws RS-TV10/RS-TV20

 TV20-43-F	 TV20-50-F	Product Code		Ø	GH	Material	Qty
		TV20-50-F	Angled Abutment, Standard - 20° with TRI®-Friction	5.0 mm		Ti-6Al-4V	1
		RS-TV20	Replacement Retaining Screw			Ti-6Al-4V	1
		RS-TV20-Lab	Replacement Retaining Screw - Lab Use - Red			Ti-6Al-4V	1
		TV20-41-F	Contour Abutment, Angled - 17° with TRI®-Friction	4.5 mm	1.0 mm	Ti-6Al-4V	1
		TV20-43-F	Contour Abutment, Angled - 17° with TRI®-Friction	4.5 mm	3.0 mm	Ti-6Al-4V	1
		RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1
		RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1

*sterile

COMPONENTS FOR SCREW-RETAINED RESTORATIONS

Screw-retained Multi-Unit Abutments

Product Code		Ø	GH	Material	Qty
TV40-01*	Screw-Retained Abutment, Straight	4.5 mm	1.0 mm	Ti-6Al-4V	1
TV40-02*	Screw-Retained Abutment, Straight	4.5 mm	2.0 mm	Ti-6Al-4V	1
TV40-04*	Screw-Retained Abutment, Straight	4.5 mm	4.0 mm	Ti-6Al-4V	1
TV40-06*	Screw-Retained Abutment, Straight	4.5 mm	6.0 mm	Ti-6Al-4V	1
TV50-17*	Screw Retained Abutment, 17° Angled	4.5 mm	2.0 mm	Ti-6Al-4V	1
TV50-30*	Screw Retained Abutment, 30° Angled	4.5 mm	3.0 mm	Ti-6Al-4V	1
HC-SRAS*	Healing Cap for Screw-Retained Abutment			Ti-6Al-4V	1
TV40-SCAN	Multi-Unit Scanbody			PEEK	1
TTA	Titanium Temporary Abutment incl. Screw RS-TTA			Ti-6Al-4V	1
RS-TTA	Replacement Retaining Screw for TTA			Ti-6Al-4V	1
RS-TTAL	Replacement Retaining Screw Long for TTA			Ti-6Al-4V	1
DTC-SRA	Direct Transfer Component for Screw-Retained Abutment incl. DTRS-SRA			Ti-6Al-4V	1
DTRS-SRA	Direct Transfer Retaining Screw			Ti-6Al-4V	1
MUA	Multi-Unit Digital Implant Analog			Ti-6Al-4V	1
MUA-5	Multi-Unit Digital Implant Analog			Ti-6Al-4V	5
MUA-IMPR	MUA – Direct Transfer Component			Ti-6Al-4V	1
MUA-RS-IMPR	MUA – Direct Transfer Retaining Screw			Ti-6Al-4V	1
RS-MUA-D-4	Replacement Retaining Screw for MUA			Ti-6Al-4V	4
PCC	Plastic Castable Coping incl. Screw RS-PCC			POM	1
RS-PCC	Replacement Retaining Screw for PCC			Ti-6Al-4V	1
RS-PCC-Lab	Replacement Retaining Screw - Lab Use - Blue			Ti-6Al-4V	1

OVERDENTURE RESTORATIONS

TRI® Raptor Abutments - includes Caps Assortment Kit (Prod. Code 192ECE)

Product Code		Ø	GH	Material	Qty
130CV.01	TRI® Raptor Abutment		1.0 mm	TiN	1
130CV.02	TRI® Raptor Abutment		2.0 mm	TiN	1
130CV.03	TRI® Raptor Abutment		3.0 mm	TiN	1
130CV.04	TRI® Raptor Abutment		4.0 mm	TiN	1
130CV.05	TRI® Raptor Abutment		5.0 mm	TiN	1
130CV.06	TRI® Raptor Abutment		6.0 mm	TiN	1
140CEV	Retentive Caps/violet (strong retention 2700g)			Nylon	4
140CET	Retentive Caps/clear (standard retention 1800g)			Nylon	4
140CER	Retentive Caps/pink (soft retention 1200g)			Nylon	4
140CEG	Retentive Caps/yellow (extra-soft retention 600g)			Nylon	4
192ECE	Caps Assortment Kit			Ti, Nylon	1
335SBC	Smart Box Kit			Ti, Nylon	1
144AE	Analog for Lab			Stainless	2
044CAIN	Transfer for Impression			Stainless	2

COMPONENTS FOR TRI+ DIGITAL CAD/CAM

CAD/CAM Abutments - includes screw RS-TV10

Product Code		Ø	GH	Material	Qty
TV70-SCAN	Scanbody for Laboratory and Intraoral Scanner			PEEK	1
TV70-07-F	Engaging Titanium Bonding-Base with TRI®-Friction	4.5 mm	0.7 mm	Ti-6Al-4V	1
TV70-20-F	Engaging Titanium Bonding-Base with TRI®-Friction	4.5 mm	2.0 mm	Ti-6Al-4V	1
TV70-07-NE	Non-Engaging Titanium Bonding-Base	4.5 mm	0.7 mm	Ti-6Al-4V	1
TV70-20-NE	Non-Engaging Titanium Bonding-Base	4.5 mm	2.0 mm	Ti-6Al-4V	1
TV70-Blank-F	Titanium Milling Blank with TRI®-Friction			Ti-6Al-4V	1
RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1

*sterile

GH = Gingiva Height

TRI®-Narrow Prosthetics

3.0 mmD Implant Platform

HEALING COLLARS

Tissue healing - Healing Collars, sterile



TNHC35-30

Product Code		Ø	GH	Material	Qty
TNHC35-30	Healing Collar	3.5 mm	3.0 mm	Ti-6Al-4V	1
TNHC35-45	Healing Collar	3.5 mm	4.5 mm	Ti-6Al-4V	1
TNHC35-60	Healing Collar	3.5 mm	6.0 mm	Ti-6Al-4V	1
TNHC45-30	Healing Collar	4.5 mm	3.0 mm	Ti-6Al-4V	1
TNHC45-50	Healing Collar	4.5 mm	5.0 mm	Ti-6Al-4V	1

Surgical cover screws, sterile



TNSCS

Product Code		Ø	GH	Material	Qty
TNCS	Surgical Cover Screw	3.2 mm		Ti-6Al-4V	1

IMPRESSION TRANSFER COMPONENTS, IMPLANT ANALOGS

Direct transfer for open-tray impressions - TRI® 3D-Touch Impression - includes screw DTRS-TN05



TN05-35



DTRS-TN05

Product Code		Ø	GH	Material	Qty
TN05-35	Direct Transfer Component	3.5 mm		Ti-6Al-4V	1
DTRS-TN05	Direct Transfer Retaining Screw			Ti-6Al-4V	1

Indirect transfer/straight abutment for closed-tray impressions

TRI® 2in1 Impression Abutments - includes screw RS-TN10



TN 10-35-ITC

Implant Analog



TNA

Product Code		Ø	GH	Material	Qty
TN10-35-ITC	Indirect Transfer Component	3.5 mm		Ti-6Al-4V	1
RS-TN10	Replacement Retaining Screw			Ti-6Al-4V	1

Product Code		Material	Qty
TNA-1	Digital Implant Analog	Ti-6Al-4V	1
TNA-5	Digital Implant Analog (5 Pack)	Ti-6Al-4V	5

COMPONENTS FOR CEMENT-RETAINED RESTORATIONS

Plastic Temporary Abutments - includes screw RS-TN20



TN10-PTA

Product Code		Ø	Material	Qty
TN10-PTA	Temporary Abutment, Straight	3.5 mm	PEEK	1
RS-TN20	Replacement Retaining Screw		Ti-6Al-4V	1
RS-TN20-Lab	Replacement Retaining Screw - Lab Use - Red		Ti-6Al-4V	1

Straight Abutments with TRI®-Friction - includes screw RS-TN10



TN10-41-F



TN10-35-F

Product Code		Ø	GH	Material	Qty
TN10-35-F	Straight Abutment with TRI®-Friction	3.5 mm		Ti-6Al-4V	1
TN10-41-F	Contour Abutment, Straight with TRI®-Friction	4.0 mm	1.0 mm	Ti-6Al-4V	1
TN10-43-F	Contour Abutment, Straight with TRI®-Friction	4.0 mm	3.0 mm	Ti-6Al-4V	1
RS-TN10	Replacement Retaining Screw			Ti-6Al-4V	1
RS-TN10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1

Angled Abutments with TRI®-Friction - includes screws RS-TN10



TN20-41-F



TN20-45-F

Product Code		Ø	GH	Material	Qty
TN20-45-F	Angled Abutment, Standard - 20° with TRI®-Friction	4.5 mm		Ti-6Al-4V	1
TN20-41-F	Contour Abutment, Angled - 17° with TRI®-Friction	4.0 mm	1.0 mm	Ti-6Al-4V	1
TN20-43-F	Contour Abutment, Angled - 17° with TRI®-Friction	4.0 mm	3.0 mm	Ti-6Al-4V	1
RS-TN10	Replacement Retaining Screw			Ti-6Al-4V	1
RS-TN10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1

COMPONENTS FOR TRI+ DIGITAL CAD/CAM

CAD/CAM Abutments - includes screw RS-TN10



TN70-SCAN



TN70-07-F



TN70-07-NE



TN70-Blank-F

Product Code		Ø	GH	Material	Qty
TN70-SCAN	Scanbody for Laboratory and Intraoral Scanner			PEEK	1
TN70-07-F	Engaging Titanium Bonding-Base with TRI®-Friction	4.2 mm	0.7 mm	Ti-6Al-4V	1
TN70-07-NE	Non-Engaging Titanium Bonding-Base	4.2 mm	0.7 mm	Ti-6Al-4V	1
TN70-Blank-F	Titanium Milling Blank with TRI®-Friction			Ti-6Al-4V	1
RS-TN10	Replacement Retaining Screw			Ti-6Al-4V	1
RS-TN10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1

COMPONENTS FOR SCREW-RETAINED RESTORATIONS

Screw-retained Multi-Unit Abutments

	Product Code		Ø	GH	Material	Qty
	TN40-02*	Screw-Retained Abutment, Straight	4.5 mm	2.0 mm	Ti-6Al-4V	1
	TN40-04*	Screw-Retained Abutment, Straight	4.5 mm	4.0 mm	Ti-6Al-4V	1
	HC-SRAS*	Healing Cap for Screw-Retained Abutment			Ti-6Al-4V	1
	TV40-SCAN	Multi-Unit Scanbody			PEEK	1
	TTA	Titanium Abutment incl. Screw RS-TTA			Ti-6Al-4V	1
	RS-TTA	Replacement Retaining Screw for TTA			Ti-6Al-4V	1
	RS-TTAL	Replacement Retaining Screw Long for TTA			Ti-6Al-4V	1
	DTC-SRA	Direct Transfer Component for Screw-Retained Abutment incl. DTRS-SRA			Ti-6Al-4V	1
	DTRS-SRA	Direct Transfer Retaining Screw			Ti-6Al-4V	1
	MUA	Multi-Unit Digital Implant Analog			Ti-6Al-4V	1
	MUA-5	Multi-Unit Digital Implant Analog			Ti-6Al-4V	5
	MUA-IMPR	MUA – Direct Transfer Component			Ti-6Al-4V	1
	MUA-RS-IMPR	MUA – Direct Transfer Retaining Screw			Ti-6Al-4V	1
	RS-MUA-D-4	Replacement Retaining Screw for MUA			Ti-6Al-4V	4
	PCC	Plastic Castable Coping incl. Screw RS-PCC			POM	1
	RS-PCC	Replacement Retaining Screw for PCC			Ti-6Al-4V	1
	RS-PCC-Lab	Replacement Retaining Screw - Lab Use - Blue			Ti-6Al-4V	1

OVERDENTURE RESTORATIONS

TRI® Raptor Abutments - includes Caps Assortment Kit (Prod. Code 192ECE)

	Product Code		Ø	GH	Material	Qty
	130TN.01	TRI® Raptor Abutment		1.0 mm	TiN	1
	130TN.02	TRI® Raptor Abutment		2.0 mm	TiN	1
	130TN.03	TRI® Raptor Abutment		3.0 mm	TiN	1
	130TN.04	TRI® Raptor Abutment		4.0 mm	TiN	1
	130TN.05	TRI® Raptor Abutment		5.0 mm	TiN	1
	140CEV	Retentive Caps/violet (strong retention 2700g)			Nylon	4
	140CET	Retentive Caps/clear (standard retention 1800g)			Nylon	4
	140CER	Retentive Caps/pink (soft retention 1200g)			Nylon	4
	140CEG	Retentive Caps/yellow (extra-soft retention 600g)			Nylon	4
	192ECE	Caps Assortment Kit			Ti, Nylon	1
	335SBC	Smart Box Kit			Ti, Nylon	1
	144AE	Analog for Lab			Stainless	2
	044CAIN	Transfer for Impression			Stainless	2

TRI®-Octa Prosthetics
4.8 mmD Implant Platform

HEALING COLLARS

Tissue healing - Healing Collars, sterile

	Product Code		Ø	GH	Material	Qty
	TOSCS	Surgical Cover Screw	3.5 mm		Ti-6Al-4V	1
	TOHC51-15	Healing Collar	5.1 mm	1.5 mm	Ti-6Al-4V	1
	TOHC51-30	Healing Collar	5.1 mm	3.0 mm	Ti-6Al-4V	1

IMPRESSION TRANSFER COMPONENTS, IMPLANT ANALOGS

Direct transfer for open-tray impressions - TRI® 3D-Touch Impression - includes screw DTRS-TO05

	Product Code		Ø	GH	Material	Qty
	TO05-51	Direct Transfer Component	5.1 mm		Ti-6Al-4V	1
	DTRS-TO05	Direct Transfer Retaining Screw			Ti-6Al-4V	1

Indirect transfer/straight abutment for closed-tray impressions

TRI® 2in1 Impression Abutments - includes screw RS-TO

	Product Code		Ø	GH	Material	Qty
	TO10-51-ITC	Indirect Transfer Component	5.1 mm		Ti-6Al-4V	1
	RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1

Implant Analog

	Product Code				Material	Qty
	TOA-1	Digital Implant Analog			Ti-6Al-4V	1
	TOA-5	Digital Implant Analog (5 Pack)			Ti-6Al-4V	5

GH = Gingiva Height

COMPONENTS FOR CEMENT-RETAINED RESTORATIONS

Plastic Temporary Abutments - includes screw RS-TO

	Product Code		Ø		Material	Qty
	TO10-PTA	Temporary Abutment, Straight	5.1 mm		PEEK	1
	RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1

Straight Abutments with TRI® Friction - includes screw RS-TO

 	Product Code		Ø	GH	Material	Qty
	TO10-35-F	Straight Abutment with TRI®-Friction	3.5 mm		Ti-6Al-4V	1
	TO10-51-F	Straight Abutment with TRI®-Friction	5.1 mm		Ti-6Al-4V	1
	RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1

Angled Abutments with TRI®-Friction - includes screws RS-TO

	Product Code		Ø	GH	Material	Qty
	TO20-51-F	Angled Abutment, Standard - 20° with TRI®-Friction	5.1 mm		Ti-6Al-4V	1
	RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1

COMPONENTS FOR SCREW-RETAINED RESTORATIONS

Screw-retained Multi-Unit Abutments

       	Product Code		Ø	GH	Material	Qty
	TO40-16*	Screw-Retained Abutment, Straight	4.5 mm	1.6 mm	Ti-6Al-4V	1
	TO40-30*	Screw-Retained Abutment, Straight	4.5 mm	3.0 mm	Ti-6Al-4V	1
	HC-SRAS*	Healing Cap for Screw-Retained Abutment			Ti-6Al-4V	1
	TV40-SCAN	Multi-Unit Scanbody			PEEK	1
	TTA	Titanium Abutment incl. Screw RS-TTA			Ti-6Al-4V	1
	RS-TTA	Replacement Retaining Screw for TTA			Ti-6Al-4V	1
	RS-TTAL	Replacement Retaining Screw Long for TTA			Ti-6Al-4V	1
	DTC-SRA	Direct Transfer Component for Screw-Retained Abutment incl. DTRS-SRA			Ti-6Al-4V	1
	DTRS-SRA	Direct Transfer Retaining Screw			Ti-6Al-4V	1
	MUA	Multi-Unit Digital Implant Analog			Ti-6Al-4V	1
	MUA-5	Multi-Unit Digital Implant Analog			Ti-6Al-4V	5
	MUA-IMPR	MUA – Direct Transfer Component			Ti-6Al-4V	1
	MUA-RS-IMPR	MUA – Direct Transfer Retaining Screw			Ti-6Al-4V	1
	RS-MUA-D-4	Replacement Retaining Screw for MUA			Ti-6Al-4V	4
	PCC	Plastic Castable Coping incl. Screw RS-PCC			POM	1
	RS-PCC	Replacement Retaining Screw for PCC			Ti-6Al-4V	1
	RS-PCC-Lab	Replacement Retaining Screw - Lab Use - Blue			Ti-6Al-4V	1

*sterile

OVERDENTURE RESTORATIONS

TRI® Raptor Abutments - includes Caps Assortment Kit (Prod. Code 192ECE)

   	Product Code		Ø	GH	Material	Qty
	130BFT.00	TRI® Raptor Abutment		0.0 mm	TiN	1
	130BFT.01	TRI® Raptor Abutment		1.0 mm	TiN	1
	130BFT.02	TRI® Raptor Abutment		2.0 mm	TiN	1
	130BFT.03	TRI® Raptor Abutment		3.0 mm	TiN	1
	130BFT.04	TRI® Raptor Abutment		4.0 mm	TiN	1
	130BFT.05	TRI® Raptor Abutment		5.0 mm	TiN	1
	140CEV	Retentive Caps/violet (strong retention 2700g)			Nylon	4
	140CET	Retentive Caps/clear (standard retention 1800g)			Nylon	4
	140CER	Retentive Caps/pink (soft retention 1200g)			Nylon	4
	140CEG	Retentive Caps/yellow (extra-soft retention 600g)			Nylon	4
	192ECE	Caps Assortment Kit			Ti, Nylon	1
	335SBC	Smart Box Kit			Ti, Nylon	1
	144AE	Analog for Lab			Stainless	2
	044CAIN	Transfer for Impression			Stainless	2

COMPONENTS FOR TRI+ DIGITAL CAD/CAM

CAD/CAM Abutments - includes screw RS-TO

   	Product Code		Ø	GH	Material	Qty
	TO70-SCAN	Scanbody for Laboratory and Intraoral Scanner			PEEK	1
	TO70-07-F	Engaging Titanium Bonding-Base with TRI®-Friction	5.1 mm	0.7 mm	Ti-6Al-4V	1
	TO70-07-NE	Non-Engaging Titatium Bonding-Base	5.1 mm	0.7 mm	Ti-6Al-4V	1
	TO70-Blank-F	Titanium Milling Blank with TRI®-Friction			Ti-6Al-4V	1
	RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1

GH = Gingiva Height

Instruments

Starting Drills

LD	Nr. 1	Lance Drill
RB-2.3	Nr. 2	Round Bur
DE	Nr. 3	Drill Extender

Surgical Drills

TPD-2.3S	Nr. 4	Pilot Drill - Short - 2.3 mm
TPD-2.3L	Nr. 5	Pilot Drill - Long - 2.3 mm
TND-3.3L	Nr. 6	TRI®-Narrow Final Drill - Long - 2.4/2.8 mm
TAP3.3	Nr. 7	TRI®-Narrow TAP
SBD-3.7S	Nr. 8	3.7 Soft Bone Drill - Short - 2.7/3.1 mmD
SBD-3.7L	Nr. 9	3.7 Soft Bone Drill - Long - 2.7/3.1 mmD
DBD-3.7L	Nr. 10	3.7 Dense Bone Drill - Long - 2.9/3.6 mmD
TAP3.7	Nr. 11	3.7 Tap
SBD-4.1S	Nr. 12	4.1 Soft Bone Drill - Short - 3.0/3.4 mmD
SBD-4.1L	Nr. 13	4.1 Soft Bone Drill - Long - 3.0/3.4 mmD
DBD-4.1L	Nr. 14	4.1 Dense Bone Drill - Long - 3.2/3.9 mmD
TAP4.1	Nr. 15	4.1 Tap
SBD-4.7S	Nr. 16	4.7 Soft Bone Drill - Short - 3.6/4.0 mmD
SBD-4.7L	Nr. 17	4.7 Soft Bone Drill - Long - 3.6/4.0 mmD
DBD-4.7L	Nr. 18	4.7 Dense Bone Drill - Long - 3.8/4.6 mmD
TAP4.7	Nr. 19	4.7 Tap
PP-L	Nr. 21	Paralell Pin - Long

Implant Drivers

VD -S	Performance Line TRI®-Vent Implant Driver - Short
VD-L	Performance Line TRI®-Vent Implant Driver - Long
VD-S-TW*	Performance Line TRI®-Vent Implant Dirver - Short incl. Torque Wrench
VD-L-TW*	Performance Line TRI®-Vent Implant Dirver - Long incl. Torque Wrench
ND-S	Performance Line TRI®-Narrow Implant Driver - Short
ND-L	Performance Line TRI®-Narrow Implant Driver - Long
OD-S	Performance Line TRI®-Octa Implant Driver - Short
OD-L	Performance Line TRI®-Octa Implant Driver - Long
MD-S-ISO	matrix ® Implant Driver - Short
MD-L-ISO	matrix ® Implant Driver - Long
MD-S-TW*	matrix ® Implant Driver Short incl. Torque Wrench
MD-L-TW*	matrix ® Implant Driver Long incl. Torque Wrench

Torque Wrench

TW	Torque Wrench
TW-Adapter	Torque Wrench Adapter

Prosthetic Tools

PD-XS*	Prosthetic Driver - Extra Short
PD-L	Prosthetic Driver - Long
PD-S	Prosthetic Driver - Short
PD-ISO-S*	Prosthetic Driver for Motor - Short
PD-ISO-L*	Prosthetic Driver for Motor - Long
PD-ISO-L-Ang*	Prosthetic Driver Angulated - Long
TORT	Removal Tool for Performance Line TRI®-Octa Friction Abutments
TRT	Removal Tool for Performance Line TRI®-Vent & Narrow Friction Abutments
487.ICE	TRI® Raptor Insertion and Extractor Tool for caps

Drill Stops

TDS6*	Drill Stop / 6 mm
TDS8*	Drill Stop / 8 mm
TDS10*	Drill Stop / 10 mm
TDS11*	Drill Stop / 11 mm
TDS13*	Drill Stop / 13 mm
TPDS*	Guided Surgery Sleeve for TPD-2.3L

Other


TSK	TRI® Surgical Kit - Complete
TSK-Tray	TRI® Surgical Kit - Tray

Prosthetic Kit


PK	TRI® Prosthetic Kit (includes: PD-IDO-L, PD-L, PD-S, TORT, TRT, TW, TW-Adapter)
PK-Tray	Prosthetic Kit-Tray
PD-ISO-L*	Prosthetic Driver for Motor - Long
PD-L	Prosthetic Driver - Long
PD-S	Prosthetic Driver - Short
TORT	Removal Tool for Performance Line TRI®-Octa Friction Abutments
TRT	Removal Tool for Performance Line TRI®-Vent & Narrow Friction Abutments
TW	Torque Wrench
TW - Adapter	Torque Wrench Adapter

* not included in TSK

Surgical Kit




Drill & Implant Lengths




Drill Sequence


3.3 mmD



3.75 mmD




4.1 mmD



4.7 mmD



Torque Requirements



TRI[®] Pod Handling



Step 1
Open Lid



Step 2
Rotate To Remove
implant



Step 3
Remove Cover Screw

3 Options for Implant Insertion



Ratchet



Handpiece




By hand

TO
TOUCH IT
IS TO
LOVE IT.

The implant packaging by TRI[®] integrates the latest engineering knowhow and innovation. Its revolutionary touchless delivery concept allows to pick-up the implant directly with the surgical hand-piece in one single step. Whilst guaranteeing the highest purity of the TRI[®] SBA surface. A true design innovation which will take your surgical performance to a new level. **Touch it, and you will love it!**

Performance Line Apps for Digital Excellence



performance[×]
LINE
DIGITAL APPS
NOW
AVAILABLE



ScanBridge



Guided Surgery



Direct on MUA



Lab Design

Experience seamless implantology with TRI[®] Performance Line Digital Apps, where Bone-Level and Tissue-Level implants meet the smart simplicity of digital technology. Crafted for anterior and posterior perfection, our TRI[®]-Narrow, TRI[®]-Vent, and TRI[®]-Octa lines are now enhanced by digital applications that epitomize efficiency and esthetic flexibility. Streamline your journey from planning to placement, enhancing precision and outcomes with digital solutions that redefine patient care and practice performance.



SCAN THE QR CODE
FOR MORE INFORMATION



TRI Dental Implants Int. AG
Switzerland
Infoline Europe: 00800 3313 3313
Infoline USA: (636) 486-7334
www.tri.swiss



TRI® Dental Implants, the TRI® Dental Implants logotype and all other trademarks used in this document are, if nothing else is stated or is evident from the context in a certain case, trademarks of the TRI Dental Implants Int. AG.
2024-05-TRI®-Performance-Line-Catalog-EN-01

CE 0297 | FDA Registered

